

Colloquium Final Report

N. 619 — Oberbeck - Boussinesq hypothesis and beyond in stratified turbulence

Dates and location: 04/07/2022 - 08/07/2022, Wien, Austria

Chairperson Francesco Zonta

Co-Chairperson Sergio Pirozzoli and Francesca Chillà

Conference fees

- Early-bird registration 450.0 €
- Late Registration 500.0 €
- Online SPEAKER early-bird registration 200.0 €
- Online SPEAKER late Registration 300.0 €
- Online attendees 100.0 €
- Accompanying person 150.0 €

What other funding was obtained? No other funding

What were the participants offered?

Book of Abstracts and Program of the colloquium; Stationery and other colloquium material; Three lunches, Six coffee/Tea breaks, two dinners (a welcome dinner and a social dinner); Access to a fully-equipped room, exclusively reserved for the conference, for the three days.

Number of members of Euromech (reduced registration fee) 12

Number of non-members of Euromech (full registration fee) 25

Applicants (members)

- Elian Bernard
- George Giamagas
- Vincent Labarre
- Detlef Lohse
- Cristian Marchioli
- Lucas Méthivier
- Věra Musilová
- Nicolaos Petropoulos
- Julien Salort
- Wilhelm Schneider
- Alfredo Soldati
- Matthew Xinchen Zhang

PRESIDENT Professor Marc Geers m.g.d.geers@tue.nl

VICE PRESIDENT

Professor GertJan van Heijst g.j.f.v.heijst@tue.nl

SECRETARY GENERAL

Professor Jacques Magnaudet jacques.magnaudet@imft.fr

MANAGEMENT ADVISOR Sara Guttilla

sara.guttilla@euromech.org

TREASURER

Stefanie Reese euromech@ifam.rwth-aachen.de

Applicants (non members)

- Mohammad Anas
- Pierre Augier
- Shashwat Bhattacharya
- Stefano Brizzolara
- Marco De Paoli
- Katherine Grayson
- Robert Hartmann
- Markus Holzner
- Yonghuang Hu
- Xianyang Jiang
- Robert Kunz
- Chang Liu
- · Visakh M G
- Ziad Ntarmouchant
- Ambrish Pandey
- Roshan Samuel
- Olga Shishkina
- Valentina Valori
- KASTURI VENKATA SAI SRIKANTH
- Yin Wang
- Jin-Han Xie
- Yi-Chao Xie
- Yantao Yang
- Xianfei Zhang
- Lu Zhu

Scientific Report

A turbulent flow in which density gradients exist is bound to be subject to vertical buoyancy force, which modifies the physics of mass, momentum and energy transport. Density stratification can be either of stable type (i.e. light fluid lying on top of heavy fluid) or of unstable type (heavy fluid lying on top of light fluid) and is often affected by the presence of boundaries, thus yielding wall-bounded turbulent stratified flows. Examples of such flows can be found in industrial and geophysical/environmental applications and include heat exchangers, chemical/nuclear reactors and atmospheric/oceanic boundary layers. Experimental, computational, and theoretical methodologies have provided plenty of data and insights into the complex intertwined phenomena typical of stably and unstably stratified turbulence, yet the field remains rich in future challenges.

One of such challenges is the need for accurate numerical and experimental results at large Reynolds and Rayleigh number. Although DNS (Direct Numerical Simulation) has produced a huge amount of information on stratified turbulence, the Reynolds/Rayleigh number in most available studies is too low to satisfactorily address full-scale environmental and industrial phenomena. In fact, it is far from clear that information obtained from low-Reynolds/Rayleigh-number simulations can be confidently extrapolated to the scales relevant of real-world phenomena, especially in the oceanic and atmospheric context. In this respect, the capability of carrying out large exa-scale DNS on next-generation supercomputers will allow for systematic investigation of a broader range of the governing parameters. These large-scale databases will certainly also help LES (Large Eddy Simulation) to design high-fidelity subgrid-scale models, as well as RANS (Reynolds-Averaged Navies Stokes) to develop reliably buoyancy-sensitive turbulence closures.

A further important issue is encountered in environmental and industrial applications, in which vertical length scales are large (for example, the atmospheric/oceanic boundary layer) and fluid temperature gradients are large (for example, nuclear reactors). In such instances, the classical Oberbeck-Boussinesq (OB) linearization is questionable. Although the OB model has been of utmost use in gaining fundamental insight into stratified flows, it can no longer be maintained whenever temperature gradients are large and/or when the focus is on phenomena occurring at large vertical scales. As a consequence, suitable modeling approaches including non-Oberbeck-Boussinesq effects should be adopted/developed to accurately capture the physics of stratified turbulence at large Reynolds/Rayleigh numbers.

The main goal of the 619 Euromech colloquium was to gather together a group of world-wide experts in the study of turbulent stratified flows, to highlight the main physical, experimental and computational challenges standing before us, and devise avenues for effective physical and technological advancement.

About 45 participants attended the colloquium, which was held in hybrid form (online+presence). The colloquium was subdivided into 6 main blocks, each introduced by a specific keynote lecture. A brief summary of the addressed topics and of the discussions is given below:

DAY 1. The morning of day 1 has been focused on stably stratified turbulence. The discussion has been opened by the keynote lecture of Prof. Caulfield ("Mixing up the climate? How the mystery of stratified turbulence is controlling all our futures") on the role of stratified turbulence on climate prediction.

The discussion has then continued touching other extremely important aspects of stratified turbulence, including the dynamics of internal waves, the origin/disruption of flow layering, and the role of boundaries in the development of the stratified flow. In the afternoon, the attention was been switched to the problem of buoyancy influenced flows in high-Prandtl number and porous media flows. The discussion was been opened by the keynote lecture of Prof. Hansen on "Thermal and double diffusive convection in the earth's mantle", and has continued focusing on Rayleigh-Darcy flows, Rayleigh-Taylor convection (also in porous media), fingering and double diffusion. All subjects of great importance in geophysical/environmental contexts.

DAY 2. In day 2, the attention has moved to thermal convection. In the morning, the discussion has started by the keynote lecture of Prof. Schumacher on "Order at the mesoscale: turbulent convection in horizontally extended domains". The discussion on thermal convection has then continued focusing in particular on extreme events and thermal plumes in thermal convection, and on the available approaches to measure/simulate/model these kind of flows. The role of additional effects, including rotation and magnetic forces was also discussed. The afternoon session has been completely devoted to Non-Oberbeck-Boussinesq effects in flows dominated by buoyancy. The discussion has started with the keynote lecture of Prof. Pecnik on "Scaling laws for density and viscosity stratified turbulent flows", and has continued with several talks on Non-Oberbeck-Boussinesq effects in liquids and gases, in particular for high-Rayleigh number thermal convection.

DAY 3. In day 3, an additional ingredient has been added to our discussion: the presence of more than one phase within the flow (multiphase flow). The morning session has been opened by the keynote lecture of Prof. Verzicco on "Multiphase Rayleigh-Benard convection", and has continued with talks on moist convection

and on liquid-liquid flows inside channels. The discussion has also explored more general aspects of buoyancy influenced flows, like the role of smooth/rough walls, or the spectral flow properties.

In the afternoon session, the attention has moved to a very applied aspect of stratified flows, that is the mixing and dispersion of organisms and particles in stably stratified environments. The session has started with the keynote lecture of Prof. Dijkstra on "Intermittent mixing events in deep stratified lakes", and has continued focusing on the dispersion of inertial and neutrally-buoyant particles (including also the case of gyrotactic, swimming, microorganisms, like plancton) in mixing layers and in confined and free-surface flows (mimicking the case of rivers or lakes).

For all three days of colloquium, there was a lot of time for discussions, after the single presentations, but also during coffee breaks, lunches and dinners. Discussions on Oberbeck and Non-Oberbeck-Boussinesq effects in buoyancy driven and buoyancy influenced flows were so vivid and engaging that brought the involved participants, after years of debate on these subjects, to a general agreement/unified picture on most of the crucial aspects.

Participants were all extremely supportive and active for the entire duration of the

A sincere, huge, thank to all participants!

colloquium.

And a final special thank to Euromech for making this meeting possible and for financial and organizational support.

Number of participants from each country

Country	PARTICIPANTS
China	5
United Arab Emirates	
United States	3
Netherlands	2
Germany	3
France	6
United Kingdom	4
Switzerland	2
India	4
Czech Republic	1
Australia	
Austria	3
Italy	2
TOTAL	37

Please send this report in electronic form to the Secretary General of EUROMECH, within one month after your Colloquium.